

Element Materials Technology - Fort Wayne 328 Ley Rd. Fort Wayne, IN 46825 TEL: (260) 424-1622 FAX: (260) 424-9124 Website: www.element.com

July 17, 2021

Henry Padilla East Chicago Sanitary District 5201 Indianapolis Blvd East Chicago, IN 46312

TEL: 219 391 8466 FAX: 219 391 8254

RE: S-901

Dear Henry Padilla:

Element Materials Technology - Fort Wayne received 2 sample(s) on 5/11/2021 for the analyses presented in the following report.

Order No.: 21051022

In accordance with your instructions, a laboratory of Element Materials Technology Fort Wayne LLC either conducted or subcontracted these analyses. Subcontracted analyses will be identified in an accompanying case narrative and any associated report(s) will be attached in full. Unless otherwise noted in the case narrative, all analyses were conducted using approved methodologies. Reported results relate only to the items tested.

Estimated uncertainty is available upon request. This report shall not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call. Sincerely,

Don Ellis II

Project Manager

328 Ley Rd.

Fort Wayne, IN 46825

Donald D Ellis II

Revision v1 Page 1 of 31



Element Materials Technology - Fort Wayne 328 Ley Rd. Fort Wayne, IN 46825

TEL: (260) 424-1622 FAX: (260) 424-9124 Website: www.element.com **Case Narrative**

WO#: **21051022**Date: **7/17/2021**

CLIENT: East Chicago Sanitary District

Project: S-901

The Cyanide 1677 testing was subcontracted to Eurofins Pittsburgh PA. Their report is attached in its entirety.

The 625 testing was subcontracted to Summit Environmental Technologies. Their report is attached in its entirety. The results for the 625 analysis are "U" qualified indicating that the analytes were not detected above the MDL. They are reported as less than the PQL.

The report was revised to correct an error in the phenol calibration calculation. The changes have been reviewed by our Quality Manager to ensure validity.



Element Materials Technology - Fort Wayne 328 Ley Rd.

Fort Wayne, IN 46825 TEL: (260) 424-1622 FAX: (260) 424-9124

Website: www.element.com

Analytical Report

(continuous)

WO#: 21051022

Date Reported 7/17/2021

CLIENT: East Chicago Sanitary District Lab Order: 21051022

Project: S-901

Collection Date: 5/10/2021 8:40:00 AM Lab ID: 21051022-001

Client Sample ID: #901 **Matrix:** WASTEWATER

RL Qual Units Analyses Result DF **Date Analyzed OIL AND GREASE, TOTAL** E1664 Analyst: SMB Oil & Grease, Total 116 5.0 mg/L 5/13/2021 4:52:20 PM OIL AND GREASE, PETROLEUM HYDROCARBONS E1664 Analyst: ANS Oil & Grease, Petroleum 85.8 5.0 5/17/2021 10:00:00 PM mg/L 1



Element Materials Technology - Fort Wayne 328 Ley Rd.

Fort Wayne, IN 46825 TEL: (260) 424-1622 FAX: (260) 424-9124

Website: www.element.com

Analytical Report

(continuous)

21051022

Date Reported

WO#:

7/17/2021

CLIENT: East Chicago Sanitary District Lab Order: 21051022

Project: S-901

| Lab ID: 21051022-002 Client Sample ID: #901 | | Collection Date: 5/10/2021 8:40:00 AM Matrix: WASTEWATER | | | | | | | |
|---|---------|---|------------|-------------|-----------------------|--|--|--|--|
| Analyses | Result | RL (| Qual Units | DF | Date Analyzed | | | | |
| FLUORIDE | | | E30 | 0.0 | Analyst: HNN | | | | |
| Fluoride | 8.9 | 1.0 | * mg/L | 10 | 5/12/2021 10:22:01 PM | | | | |
| CHEMICAL OXYGEN DEMAND | | | M52 | 20 D | Analyst: NMB | | | | |
| Chemical Oxygen Demand | 1,700 | 50.0 | mg/L | 5 | 5/13/2021 8:14:00 AM | | | | |
| AMMONIA AS N | | | E35 | 60.1 | Analyst: AJC | | | | |
| Nitrogen, Ammonia (As N) | 54.8 | 1.00 | mg/L | 10 | 5/12/2021 9:28:00 AM | | | | |
| PHENOLICS IN WASTEWATER | | | E42 | 20.1 | Analyst: ANS | | | | |
| Phenolics, Total Recoverable | 0.285 | 0.250 | mg/L | 10 | 5/12/2021 12:20:00 PM | | | | |
| TOTAL PHOSPHORUS | | | M450 | 0-P F | Analyst: CDS | | | | |
| Total Phosphorus | 0.780 | 0.050 | mg/L | 1 | 5/13/2021 3:34:00 PM | | | | |
| TOTAL SUSPENDED SOLIDS | | | M25 | 40 D | Analyst: NMB | | | | |
| Suspended Solids (Residue, Non- Filterable) | 360 | 80 | mg/L | 1 | 5/16/2021 11:58:00 AM | | | | |
| MERCURY | | | E24 | 15.1 | Analyst: FJR | | | | |
| Mercury | 0.00054 | 0.00010 | mg/L | 1 | 5/17/2021 12:37:38 PM | | | | |
| METALS IN WATER BY ICP-MS, TOTAL | | | E20 | 0.8 | Analyst: FJR | | | | |
| Arsenic | 0.00914 | 0.00020 | mg/L | 1 | 5/14/2021 1:49:46 PM | | | | |
| Chromium | 0.0112 | 0.00040 | mg/L | 1 | 5/14/2021 1:49:46 PM | | | | |
| Cobalt | 0.00336 | 0.00010 | mg/L | 1 | 5/14/2021 1:49:46 PM | | | | |
| Copper | 0.0154 | 0.00020 | mg/L | 1 | 5/14/2021 1:49:46 PM | | | | |
| Lead | 0.00314 | 0.00020 | mg/L | 1 | 5/14/2021 1:49:46 PM | | | | |

Qualifiers: * Value exceeds Maximum Contaminant Level

M Manual Integration used to determine area response

PL Permit Limit

RL Reporting Detection Limit

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitation Limit



Element Materials Technology - Fort Wayne 328 Ley Rd.

Fort Wayne, IN 46825

TEL: (260) 424-1622 FAX: (260) 424-9124

Website: www.element.com

Analytical Report

(continuous)

WO#: 21051022

Date Reported 7/17/2021

CLIENT: East Chicago Sanitary District Lab Order: 21051022

Project: S-901

| METALS IN WATER BY IC | P-MS, TOTAL | | E200 |).8 | Analyst: FJR |
|-----------------------|-------------|---------|------|-----|-----------------------|
| Molybdenum | 0.0684 | 0.00020 | mg/L | 1 | 5/14/2021 1:49:46 PM |
| Nickel | 0.0238 | 0.00100 | mg/L | 1 | 5/14/2021 1:49:46 PM |
| Tin | < 0.00500 | 0.00500 | mg/L | 1 | 5/14/2021 1:49:46 PM |
| Zinc | 0.274 | 0.00400 | ma/L | 10 | 5/19/2021 11:30:03 AM |



Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh 301 Alpha Drive RIDC Park Pittsburgh, PA 15238 Tel: (412)963-7058

Laboratory Job ID: 180-121462-1

Client Project/Site: Available Cyanide 21051022

For:

Element Materials Technology 328 Ley Rd Suite100 Fort Wayne, Indiana 46825

Attn: Kris Kwasny

Ay th_

Authorized for release by: 5/20/2021 8:16:53 AM

Andy Johnson, Manager of Project Management (615)301-5045

Andy.Johnson@Eurofinset.com

·····LINKS ······

Review your project results through

Total Access

Have a Question?



Visit us at: www.eurofinsus.com/Env This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416

Table of Contents

| Cover Page | 1 |
|------------------------|----|
| Table of Contents | 2 |
| Case Narrative | 3 |
| Definitions/Glossary | 4 |
| Certification Summary | 5 |
| Sample Summary | 6 |
| Method Summary | 7 |
| Lab Chronicle | 8 |
| Client Sample Results | 9 |
| QC Sample Results | 10 |
| QC Association Summary | 11 |
| Chain of Custody | 12 |
| Receipt Chacklists | 14 |

Case Narrative

Client: Element Materials Technology

Job ID: 180-121462-1

Project/Site: Available Cyanide 21051022

Job ID: 180-121462-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

Job Narrative 180-121462-1

Comments

No additional comments.

Receipt

The sample was received on 5/12/2021 10:00 AM. Unless otherwise noted below, the sample arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.5° C.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

3

4

6

9

10

10

Definitions/Glossary

Client: Element Materials Technology Job ID: 180-121462-1

Project/Site: Available Cyanide 21051022

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report. Listed under the "D" column to designate that the result is reported on a dry weight basis %R Percent Recovery CFL Contains Free Liquid CFU Colony Forming Unit CNF Contains No Free Liquid DER Duplicate Error Ratio (normalized absolute difference) Dil Fac **Dilution Factor** Detection Limit (DoD/DOE) DL DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample DLC Decision Level Concentration (Radiochemistry) EDL Estimated Detection Limit (Dioxin) LOD Limit of Detection (DoD/DOE) LOQ Limit of Quantitation (DoD/DOE) MCL EPA recommended "Maximum Contaminant Level" MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry) MDL Method Detection Limit MI Minimum Level (Dioxin)

NC Not Calculated

MPN

MQL

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent
POS Positive / Present

PQL Practical Quantitation Limit

PRES Presumptive
QC Quality Control

RER Relative Error Ratio (Radiochemistry)

Most Probable Number

Method Quantitation Limit

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

4

4

7

8

10

11

12

1,

Accreditation/Certification Summary

Client: Element Materials Technology Project/Site: Available Cyanide 21051022

Laboratory: Eurofins TestAmerica, Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | Identification Number | Expiration Date | |
|------------------------|---------------------|-----------------------|------------------------|--|
| Arkansas DEQ | State | 19-033-0 | 06-27-21 | |
| California | State | 2891 | 04-30-21 * | |
| Connecticut | State | PH-0688 | 09-30-22 | |
| Florida | NELAP | E871008 | 06-30-21 | |
| Georgia | State | PA 02-00416 | 04-30-22 | |
| Illinois | NELAP | 004375 | 06-30-21 | |
| Kansas | NELAP | E-10350 | 01-31-22 | |
| Kentucky (UST) | State | 162013 | 04-30-21 * | |
| Kentucky (WW) | State | KY98043 | 12-31-21 | |
| Louisiana | NELAP | 04041 | 06-30-21 | |
| Maine | State | PA00164 | 03-06-22 | |
| Minnesota | NELAP | 042-999-482 | 12-31-21 | |
| Nevada | State | PA00164 | 07-31-21 | |
| New Hampshire | NELAP | 2030 | 04-05-22 | |
| New Jersey | NELAP | PA005 | 06-30-21 | |
| New York | NELAP | 11182 | 04-01-22 | |
| North Carolina (WW/SW) | State | 434 | 12-31-21 | |
| North Dakota | State | R-227 | 04-30-21 * | |
| Oregon | NELAP | PA-2151 | 02-06-22 | |
| Pennsylvania | NELAP | 02-00416 | 04-30-22 | |
| Rhode Island | State | LAO00362 | 12-31-21 | |
| South Carolina | State | 89014 | 04-30-21 * | |
| Texas | NELAP | T104704528 | 03-31-22 | |
| US Fish & Wildlife | US Federal Programs | 058448 | 07-31-21 | |
| USDA | Federal | P-Soil-01 | 06-26-22 | |
| USDA | US Federal Programs | P330-16-00211 | 06-26-22 | |
| Utah | NELAP | PA001462019-8 | 05-31-21 | |
| Virginia | NELAP | 10043 | 09-14-21 | |
| West Virginia DEP | State | 142 | 01-31-22 | |
| Wisconsin | State | 998027800 | 08-31-21 | |

Job ID: 180-121462-1

3

4

5

7

a

10

4.0

 $^{^{\}star} \ \text{Accreditation/Certification renewal pending - accreditation/certification considered valid}.$

Eurofins TestameRos, Pittsburgh

Sample Summary

Client: Element Materials Technology Project/Site: Available Cyanide 21051022

Job ID: 180-121462-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received | Asset ID |
|---------------|------------------|--------|----------------|----------------|----------|
| 180-121462-1 | 21051022-001A | Water | 05/10/21 08:40 | 05/12/21 10:00 | |

_

6

R

9

10

12

1:

Method Summary

Client: Element Materials Technology Project/Site: Available Cyanide 21051022 Job ID: 180-121462-1

| Method | Method Description | Protocol | Laboratory |
|------------|--|----------|------------|
| OIA - 1677 | Available Cyanide by Flow Injection, Lig | EPA | TAL PIT |

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Lab Chronicle

Client: Element Materials Technology

Job ID: 180-121462-1

Project/Site: Available Cyanide 21051022

Client Sample ID: 21051022-001A Lab Sample ID: 180-121462-1

Date Collected: 05/10/21 08:40 Matrix: Water

Date Received: 05/12/21 10:00

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|-----------|---------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Analysis | OIA - 1677 | | 1 | | | 357264 | 05/17/21 20:26 | GRB | TAL PIT |
| | Instrumer | t ID: ALPKEM3 | | | | | | | | |

Laboratory References:

TAL PIT = Eurofins TestAmerica, Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Analyst References:

Lab: TAL PIT

Batch Type: Analysis GRB = Gabriel Berghe

3

4

6

_

ŏ

10

4.6

Client Sample Results

Client: Element Materials Technology Job ID: 180-121462-1

Project/Site: Available Cyanide 21051022

Client Sample ID: 21051022-001A Lab Sample ID: 180-121462-1

Date Collected: 05/10/21 08:40 Matrix: Water

Date Received: 05/12/21 10:00

| General Chemistry | | | | | | | | | |
|--------------------|--------|-----------|--------|--------|------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| Cyanide, Available | 0.13 | | 0.0020 | 0.0015 | mg/L | | | 05/17/21 20:26 | 1 |

5

7

0

10

11

14

QC Sample Results

Client: Element Materials Technology Job ID: 180-121462-1

Project/Site: Available Cyanide 21051022

Method: OIA - 1677 - Available Cyanide by Flow Injection, Lig

Lab Sample ID: MB 180-357264/81 **Client Sample ID: Method Blank**

Matrix: Water

Analysis Batch: 357264

MB MB

MDL Unit Dil Fac Analyte Result Qualifier RL Prepared Analyzed 05/17/21 19:51 Cyanide, Available 0.0020 0.0015 mg/L ND

Lab Sample ID: LCS 180-357264/80 **Client Sample ID: Lab Control Sample Matrix: Water** Prep Type: Total/NA

Analysis Batch: 357264

Spike LCS LCS %Rec. **Analyte** Added Result Qualifier Unit D %Rec Limits Cyanide, Available 0.0501 0.0516 103 82 - 132 mg/L

Prep Type: Total/NA

QC Association Summary

Client: Element Materials Technology

Job ID: 180-121462-1

Project/Site: Available Cyanide 21051022

General Chemistry

Analysis Batch: 357264

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|--------------------|-----------|--------|------------|------------|
| 180-121462-1 | 21051022-001A | Total/NA | Water | OIA - 1677 | |
| MB 180-357264/81 | Method Blank | Total/NA | Water | OIA - 1677 | |
| LCS 180-357264/80 | Lab Control Sample | Total/NA | Water | OIA - 1677 | |

6

4

0

9

11

ш

328 Ley Rd.

Element Materials Technology - Fort

ADDRESS

OF:

CHAIN OF CUSTODY RECORD Omega COCID 136241 PAGE: 1

Fort Wayne, IN 46825

TEL: (260) 424-1622 FAX: (260) 424-9124

Website: www.element.com

Due 5/18.21

SPECIAL INSTRUCTIONS / COMMENTS

Test America

COMPANY

SUB CONTRATOR: TEST_AMERICA

COMMENTS: Methanol Preserved Weights HOT Sample Notation, Additional Sample Description

5/10/2021 8:40:00 AM DATE COLLECTED

500HDPENAOH Wastewater

MATRIX

BOTTLE TYPE

CLIENT SAMPLE ID

SAMPLEID

ITEM #

S-901 Grab

CYAN_1677 (OIA-1677-09)

21051022-001A

Horndst-

PHONE: (800) 765-0980 FAX: (615) 726-3404

ACCOUNT#:

Nashville, TN 37284

CITY, STATE, ZIP:

Sample Receiving

ADDRESS:

C+++0744 #

180-121462 Chain of Custody

1404-863b-m24L

REPORT TRANSMITTAL DESIRED:

☐ HARDCOPY (extra cost)

ONLINE

Attempt to Cool?

Temp of samples

3rd BD

2nd BD

Next BD

RUSH

Standard

TAT:

17 of 3

Page Page

Kingles Land J. M. 21 Tiff 20 Received By

Note: RUSH requests will incur surcharges!

FOR LAB USE ONLY ☐ FAX

element



Page 13 of 14

5/20/2021

Login Sample Receipt Checklist

Client: Element Materials Technology Job Number: 180-121462-1

Login Number: 121462 List Source: Eurofins TestAmerica, Pittsburgh

List Number: 1

Creator: Watson, Debbie

| Answer | Comment |
|--------|---|
| N/A | |
| True | |
| False | |
| True | |
| N/A | |
| | N/A True True True True True True True Tru |

-

4

5

6

8

9

4 4

12



Summit Environmental Technologies, Inc. 3310 Win St. Cuyahoga Falls, Ohio 44223 TEL: (330) 253-8211 FAX: (330) 253-4489 Website: http://www.settek.com

May 26, 2021

Kristine Kwasny Element Material Technology-Fort Wayne 2121 E. Washington Blvd.

Fort Wayne, IN 46803 TEL: 260-471-7000 FAX: 260-471-7777

RE: 21051022 - REVISED

Dear Kristine Kwasny: Order No.: 21050646

Summit Environmental Technologies, Inc. received 1 sample(s) on 5/12/2021 for the analyses presented in the following report.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Quality control data is within laboratory defined or method specified acceptance limits except where noted.

If you have any questions regarding these tests results, please feel free to call the laboratory.

mites melecal

Sincerely,

Jennifer Woolf

Project Manager

3310 Win St.

Cuyahoga Falls, Ohio 44223

Arkansas 88-0735, California 2943, Colorado, Connecticut PH-0108, Florida NELAC E87688, Idaho OH00923, Illinois 200061, Indiana C-OH-13, Kansas E-10347, Kentucky (Underground Storage Tank) 3, Kentucky 90146, Maryland 339, Michigan 9988, Minnesota 1780279, Nevada OH009232020-1, New Hampshire 2996, New Jersey OH006, New York 11777, North Carolina 39705 and 631, North Dakota R-201, Ohio DW, Ohio VAP CL0052, Oklahoma 2019-155, Oregon OH200001, Pennsylvania 011, Rhode Island LA000317, South Carolina 92016001, Texas T104704466-19-16, Utah OH009232020-12, Virginia VELAP 10381, West Virginia 9957C



Summit Environmental Technologies, Inc. 3310 Win St. Cuyahoga Falls, Ohio 44223

TEL: (330) 253-8211 FAX: (330) 253-4489 Website: http://www.settek.com **Case Narrative**

WO#: **21050646**Date: **5/26/2021**

CLIENT: Element Material Technology-Fort Wayne

Project: 21051022 -REVISED

WorkOrder Narrative:

21050646: This report in its entirety consists of the following documents: Cover Letter, Case Narrative, Analytical Results, QC Summary Report, Applicable Accreditation Information, Chain-of-Custody, Cooler Receipt Form, and other applicable forms as necessary. All documents contain the Summit Environmental Technologies, Inc., Work Order Number assigned to this report.

Summit Environmental Technologies, Inc., holds the accreditations/certifications listed at the bottom of the cover letter that may or may not pertain to this report. Please refer to the "Accreditation Program Analytes Report" for accredited analytes list.

The information contained in this analytical report is the sole property of Summit Environmental Technologies, Inc. and that of the customer. It cannot be reproduced in any form without the consent of Summit Environmental Technologies, Inc. or the customer for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Summit Environmental Technologies, Inc. is not responsible for use or interpretation of the data included herein.

All results for Solid Samples are reported on an "as received" or "wet weight" basis unless indicated as "dry weight" using the "-dry" designation on the reporting units.

This report is believed to meet all of the requirements of the accrediting agency, where applicable. Any comments or problems with the analytical events associated with this report are noted below.

WorkOrder Comments:

21050646: State required accreditation not specified; results may not be reported as certified data.

Analytical Sequence Sample Notes:

21050646-001A SVOC-MSTR_NPW(625.1): Surrogate outside recovery limits. Minimum method criterion of one surrogate within established recovery limits was met.

Analytical Sequence QC Notes:

MB-49469 SVOC-MSTR_NPW(625.1): Surrogate outside recovery limits. Minimum method criterion

Revision v3



Summit Environmental Technologies, Inc. 3310 Win St.

Cuyahoga Falls, Ohio 44223 TEL: (330) 253-8211 FAX: (330) 253-4489

Website: http://www.settek.com

Case Narrative

WO#: **21050646**Date: **5/26/2021**

CLIENT: Element Material Technology-Fort Wayne

Project: 21051022 -REVISED

of one surrogate within established recovery limits was met.

REVISED REPORT 5/20/21: MDL included. REVISED REPORT II 5/26/21: Corrected PQLs

Summit Environmental Technologies, In

3310 Win S

Cuyahoga Falls, Ohio 4422 TEL: (330) 253-8211 FAX: (330) 253-448

Website: http://www.settek.co

Qualifiers and Acronyms

WO#: 21050646 Date: 5/26/2021

These commonly used Qualifiers and Acronyms may or may not be present in this report.

Qualifiers

| e MDL. |
|--------|
| е |

- J The reported value is greater than the Method Detection Limit but less than the Reporting Limit.
- H The hold time for sample preparation and/or analysis was exceeded. Not Clean Water Act compliant.
- **D** The result is reported from a dilution.
- **E** The result exceeded the linear range of the calibration or is estimated due to interference.
- **MC** The result is below the Minimum Compound Limit.
- * The result exceeds the Regulatory Limit or Maximum Contamination Limit.
- **m** Manual integration was used to determine the area response.
- d Manual integration in which peak was deleted
- N The result is presumptive based on a Mass Spectral library search assuming a 1:1 response.
- **P** The second column confirmation exceeded 25% difference.
- C The result has been confirmed by GC/MS.
- X The result was not confirmed when GC/MS Analysis was performed.
- B The analyte was detected in the Method Blank at a concentration greater than the RL.

 MB+ The analyte was detected in the Method Blank at a concentration greater than the MDL.
- **G** The ICB or CCB contained reportable amounts of analyte.
- **QC-/+** The CCV recovery failed low (-) or high (+).
- **R/QDR** The RPD was outside of accepted recovery limits.
- **QL-/+** The LCS or LCSD recovery failed low (-) or high (+).
- **QLR** The LCS/LCSD RPD was outside of accepted recovery limits.
- **QM-/+** The MS or MSD recovery failed low (-) or high (+).
- **QMR** The MS/MSD RPD was outside of accepted recovery limits.
- **QV-/+** The ICV recovery failed low (-) or high (+).
- **S** The spike result was outside of accepted recovery limits.
- W Samples were received outside temperature limits ($0^{\circ} 6^{\circ}$ C). Not Clean Water Act compliant.
- Z Deviation; A deviation from the method was performed; Please refer to the Case Narrative for
 - additional information

Acronyms

| ND | Not Detected | RL | Reporting Limit |
|------|-------------------------------------|--------|--------------------------------------|
| QC | Quality Control | MDL | Method Detection Limit |
| MB | Method Blank | LOD | Level of Detection |
| LCS | Laboratory Control Sample | LOQ | Level of Quantitation |
| LCSD | Laboratory Control Sample Duplicate | PQL | Practical Quantitation Limit |
| QCS | Quality Control Sample | CRQL | Contract Required Quantitation Limit |
| DUP | Duplicate | PL | Permit Limit |
| MS | Matrix Spike | RegLvl | Regulatory Limit |
| MSD | Matrix Spike Duplicate | MCL | Maximum Contamination Limit |
| RPD | Relative Percent Different | MinCL | Minimum Compound Limit |
| ICV | Initial Calibration Verification | RA | Reanalysis |
| ICB | Initial Calibration Blank | RE | Reextraction |
| CCV | Continuing Calibration Verification | TIC | Tentatively Identified Compound |
| CCB | Continuing Calibration Blank | RT | Retention Time |
| RLC | Reporting Limit Check | CF | Calibration Factor |

This list of Qualifiers and Acronyms reflects the most commonly utilized Qualifiers and Acronyms for reporting. Please refer to the Analytical Notes in the Case Narrative for any Qualifiers or Acronyms that do not appear in this list or for additional information regarding the use of these Qualifiers on reported data.



Summit Environmental Technologies, Inc. 3310 Win St. Cuyahoga Falls, Ohio 44223 TEL: (330) 253-8211 FAX: (330) 253-4489 Website: http://www.settek.com Workorder Sample Summary

WO#: **21050646**

26-May-21

CLIENT: Element Material Technology-Fort Wayne

Project: 21051022 -REVISED

Lab SampleIDClient Sample IDTag NoDate CollectedDate ReceivedMatrix21050646-00121051022-001C5/10/2021 8:40:00 AM5/12/2021 10:55:00 AMNon-Potable Water



Summit Environmental Technologies, Inc. 3310 Win St. Cuyahoga Falls, Ohio 44223 TEL: (330) 253-8211 FAX: (330) 253-4489 Website: http://www.settek.com

DATES REPORT

WO#: **21050646**

26-May-21

Client: Element Material Technology-Fort Wayne

Project: 21051022 -REVISED

| Sample ID | Client Sample ID | Collection Date | Matrix | Test Name | Leachate Date | Prep Date | Analysis Date |
|---------------|------------------|----------------------|----------------|-----------------------|-------------------|----------------------|----------------------|
| 21050646-001A | 21051022-001C | 5/10/2021 8:40:00 AM | Non-Potable Wa | ter Semi-Volatile Org | . Compounds by GC | 5/12/2021 2:00:00 PM | 5/14/2021 5:37:00 PM |
| | | | | (EPA 625.1) | | | |



Summit Environmental Technologies, Inc. 3310 Win St.

Cuyahoga Falls, Ohio 44223 TEL: (330) 253-8211 FAX: (330) 253-4489 Website: http://www.settek.com **Analytical Report**

(consolidated)

WO#: 21050646

Date Reported: 5/26/2021

Lab ID: 21050646-001 **Collection Date:** 5/10/2021 8:40:00 AM

Client Sample ID 21051022-001C Matrix: NON-POTABLE WATER

| Analysis | Result | MDL | PQL | Qual | Units | Dilution | Batch | Date Analyzed |
|-----------------------------|----------|-----------|-----------|------|-------|----------|-------|----------------------|
| SEMI-VOLATILE ORG. COMP | OUNDS BY | GC/MS (EI | PA 625.1) | | EP | A 625.1 | | Analyst: SFG |
| n-Decane | ND | 0.0510 | 0.204 | U | mg/L | 50 | 49469 | 5/14/2021 5:37:00 PM |
| n-Octadecane | ND | 0.0510 | 0.204 | U | mg/L | 50 | 49469 | 5/14/2021 5:37:00 PM |
| Bis(2-ethylhexyl) phthalate | ND | 0.139 | 0.816 | U | mg/L | 50 | 49469 | 5/14/2021 5:37:00 PM |
| Fluoranthene | ND | 0.114 | 0.510 | U | mg/L | 50 | 49469 | 5/14/2021 5:37:00 PM |
| Phenanthrene | ND | 0.0884 | 0.510 | U | mg/L | 50 | 49469 | 5/14/2021 5:37:00 PM |
| Carbazole | ND | 0.107 | 0.510 | U | mg/L | 50 | 49469 | 5/14/2021 5:37:00 PM |
| Surr: 2-Fluorophenol | 0 | | 10-140 | Sd | %Rec | 50 | 49469 | 5/14/2021 5:37:00 PM |
| Surr: Phenol-d6 | 0 | | 10-140 | Sd | %Rec | 50 | 49469 | 5/14/2021 5:37:00 PM |
| Surr: Nitrobenzene-d5 | 0 | | 15-314 | Sd | %Rec | 50 | 49469 | 5/14/2021 5:37:00 PM |
| Surr: 2,4,6-Tribromophenol | 81.0 | | 10-185 | | %Rec | 50 | 49469 | 5/14/2021 5:37:00 PM |
| Surr: 2-Fluorobiphenyl | 0 | | 25.4-158 | Sd | %Rec | 50 | 49469 | 5/14/2021 5:37:00 PM |
| Surr: p-Terphenyl-d14 | 56.0 | | 33.5-191 | | %Rec | 50 | 49469 | 5/14/2021 5:37:00 PM |

Qualifiers: B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MC Value is below Minimum Compound Limit.

ND Not Detected

PL Permit Limit

E Value above quantitation range

M Manual Integration used to determine area response

N Tentatively identified compounds

P Second column confirmation exceeds Page 26 of 31

RPD outside accepted recovery limits



Summit Environmental Technologies, Inc. 3310 Win St. Cuyahoga Falls, Ohio 44223 TEL: (330) 253-8211 FAX: (330) 253-4489 Website: http://www.settek.com

QC SUMMARY REPORT

WO#:

21050646

26-May-21

Client: Element Material Technology-Fort Wayne

21051022 -REVISED **Project: BatchID:** 49469

| Sample ID: MB-49469 | SampType: MBLK | | de: SVOC-MS | • | | Prep Date | | | RunNo: 127 | | |
|-----------------------------|--|---------|-----------------|--|--------------|---------------|--------------------|--|-------------------|----------|----------|
| Client ID: PBW | Batch ID: 49469 | Test | No: E625 | SW3510C | | Analysis Date | e: 5/14/2 0 | 021 | SeqNo: 334 | 16908 | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |
| Bis(2-ethylhexyl) phthalate | ND | 0.0100 | | | | | | | | | U |
| Fluoranthene | ND | 0.00500 | | | | | | | | | U |
| Phenanthrene | ND | 0.00500 | | | | | | | | | U |
| Surr: 2-Fluorophenol | 0.0250 | | 0.05000 | | 50.0 | 60 | 140 | | | | S |
| Surr: Phenol-d6 | 0.0193 | | 0.05000 | | 38.6 | 8 | 424 | | | | |
| Surr: Nitrobenzene-d5 | 0.0389 | | 0.05000 | | 77.7 | 46 | 219 | | | | |
| Surr: 2,4,6-Tribromopheno | 0.0420 | | 0.05000 | | 84.0 | 60 | 140 | | | | |
| Surr: 2-Fluorobiphenyl | 0.0376 | | 0.05000 | | 75.1 | 60 | 140 | | | | |
| Surr: p-Terphenyl-d14 | 0.0536 | | 0.05000 | | 107 | 60 | 140 | | | | |
| Sample ID: LCS-49469 | SampType: LCS | TootCo | de: SVOC-MS | TR Units: mg/L | | Prep Date | e: 5/12/2 | 024 | RunNo: 127 | 7076 | |
| • | | | | • | | • | | | | | |
| Client ID: LCSW | Batch ID: 49469 | Test | No: E625 | SW3510C | | Analysis Date | e: 5/14/2 0 | 021 | SeqNo: 334 | 16909 | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |
| Bis(2-ethylhexyl) phthalate | 0.0376 | 0.0100 | 0.04000 | 0 | 93.9 | 29 | 137 | | | | |
| Fluoranthene | 0.0371 | 0.00500 | 0.04000 | 0 | 92.6 | 43 | 121 | | | | |
| Phenanthrene | 0.0408 | 0.00500 | 0.04000 | 0 | 102 | 65 | 120 | | | | |
| Surr: 2-Fluorophenol | 0.0282 | | 0.05000 | | 56.5 | 10 | 113 | | | | |
| Surr: Phenol-d6 | 0.0213 | | 0.05000 | | 42.6 | 10 | 77.6 | | | | |
| Surr: Nitrobenzene-d5 | 0.0419 | | 0.05000 | | 83.7 | 15 | 314 | | | | |
| Surr: 2,4,6-Tribromopheno | 0.0588 | | 0.05000 | | 118 | 10 | 251 | | | | |
| Surr: 2-Fluorobiphenyl | 0.0424 | | 0.05000 | | 84.7 | 44 | 95.9 | | | | |
| | | | | | | | | | | | |
| Qualifiers: B Analyte | detected in the associated Method | Blank | E Value | above quantitation rai | nge | | Н | Holding times for | preparation or a | naly | |
| - | detected in the associated Method detected below quantitation limits | Blank | | above quantitation ran al Integration used to o | - | ea response | | Holding times for Value is below Mi | | ınd | |
| - | detected below quantitation limits | Blank | M Manua | = | determine ar | | MC | = | | ınd | Revision |



Summit Environmental Technologies, Inc. 3310 Win St. Cuyahoga Falls, Ohio 44223 TEL: (330) 253-8211 FAX: (330) 253-4489 Website: http://www.settek.com

QC SUMMARY REPORT

WO#: **21050646**

26-May-21

Client: Element Material Technology-Fort Wayne

Project: 21051022 - REVISED **BatchID:** 49469

Sample ID: LCS-49469 SampType: LCS Units: mg/L TestCode: SVOC-MSTR Prep Date: 5/12/2021 RunNo: 127876 Client ID: LCSW Batch ID: 49469 TestNo: E625 SW3510C Analysis Date: 5/14/2021 SeqNo: 3346909 **PQL** SPK value SPK Ref Val %RPD RPDLimit Analyte Result %REC LowLimit HighLimit RPD Ref Val Qual Surr: p-Terphenyl-d14 0.0601 0.05000 120 58.6 178

| Sample ID: LCSD-49469 | SampType: LCSD | TestCod | de: SVOC-MS | TR Units: mg/L | | Prep Da | te: 5/12/20 | 21 | RunNo: 127 | 7876 | |
|-----------------------------|-----------------|---------|-----------------|----------------|------|-------------|---------------------|-------------|-------------------|----------|------|
| Client ID: LCSS02 | Batch ID: 49469 | TestN | lo: E625 | SW3510C | | Analysis Da | te: 5/14/2 0 | 21 | SeqNo: 334 | 16910 | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |
| Bis(2-ethylhexyl) phthalate | 0.0328 | 0.0100 | 0.04000 | 0 | 81.9 | 29 | 137 | 0.03756 | 13.7 | 82 | |
| Fluoranthene | 0.0331 | 0.00500 | 0.04000 | 0 | 82.7 | 43 | 121 | 0.03706 | 11.3 | 66 | |
| Phenanthrene | 0.0365 | 0.00500 | 0.04000 | 0 | 91.4 | 65 | 120 | 0.04076 | 10.9 | 39 | |
| Surr: 2-Fluorophenol | 0.0265 | | 0.05000 | | 52.9 | 10 | 113 | | 0 | 0 | |
| Surr: Phenol-d6 | 0.0206 | | 0.05000 | | 41.2 | 10 | 77.6 | | 0 | 0 | |
| Surr: Nitrobenzene-d5 | 0.0394 | | 0.05000 | | 78.8 | 15 | 314 | | 0 | 0 | |
| Surr: 2,4,6-Tribromophenol | 0.0508 | | 0.05000 | | 102 | 10 | 251 | | 0 | 0 | |
| Surr: 2-Fluorobiphenyl | 0.0404 | | 0.05000 | | 80.9 | 44 | 95.9 | | 0 | 0 | |
| Surr: p-Terphenyl-d14 | 0.0532 | | 0.05000 | | 106 | 58.6 | 178 | | 0 | 0 | |

| Oualifiers: | В | Analyte detected | in the | associated Method Blank |
|-------------|---|------------------|--------|-------------------------|
|-------------|---|------------------|--------|-------------------------|

J Analyte detected below quantitation limits

Page 28 of 3 Permit Limit

S Spike Recovery outside accepted reco

Revision v3

ND Not Detected

R RPD outside accepted recovery limits

E Value above quantitation range

M Manual Integration used to determine area response

P Second column confirmation exceeds

RL Reporting Detection Limit

H Holding times for preparation or analy

MC Value is below Minimum Compound

| CHAIN OF CUSTODY RECORD Omega COCID 136240 PAGE: 1 OF: 1 Stement Materials Technology - Fort Wayne 328 Lay Rd. Fort Wayne, IN 46825 TEL. (260) 424-1622 FAX: (260) 424-9124 | COMPANY Summit Environmental Technol Please only report these compounds. Phenanthrene, Bis (2-EH) Phihlate, Carbazole, Fluoranthene, n-Decane, | n-Octadecane | | 89 EMAIL. | TOPENT SOFT TO THE 18 31 | CLENT SAMPLE TO BOTTLE TYPE MATRIX DATE COLLECTED CONTAINERS HOT Sample Notation, Additional Sample Description. | S-901 Grab 11.GU Wastewater 5/10/2021 8:40:00 AM 1 | | 7786.96.1195 | TITUE RECEIVED BY DEET THING CHARDCOPY (ecca cost) [] FAX [] EMAIL [] ONLINE | Trans Recting by a MAN Paris 200 INC |
|--|--|--------------------------|---|------------------------------------|--------------------------|--|--|-----------|--------------|---|--------------------------------------|
| CHAIN OF CUST | | | | 68 | | вотпетив | 11.60 | | | | THE PARTY OF |
| element | SUB CONTRATOR SET | ADDRESS. 3310 Win Street | CITY, STAIR, ZIP Cuyahoga Falls, OH 44223 | PHONE. (330) 253-8211 FAX (330) 29 | ACCOUNT * NELAP E87688 | | 21051022-001C S | 525), 625 | | Refine white low was the Ball of Ball | Relinquished By Date |

Note: RUSH requests will incur surcharges!



Summit Environmental Technologies, Inc. 3310 Win St. Cuyahoga Falls, Ohio 44223

TEL: (330) 253-8211 FAX: (330) 253-4489 Website: <u>http://www.settek.com</u>

Sample Log-In Check List

| Client | Name: | SHE-IN-46803 | Work Order Number: | 21050646 | | RcptNo: 1 |
|--------|-------------|---|-----------------------------|---------------|--------------|----------------|
| Logge | d by: | Jesseca E. Westfall | 5/12/2021 10:55:00 AI | М | Marke | , |
| Compl | eted By: | Jesseca E. Westfall | 5/12/2021 12:31:57 PI | М | Matte | , |
| Reviev | wed By: | Jennifer Woolf | 5/12/2021 1:31:57 PM | | James | es mulias |
| Chain | of Cus | stody | | | | |
| 1. Is | Chain of | Custody complete? | | Yes | No 🗹 | Not Present |
| 2. H | ow was th | e sample delivered? | | <u>FedEx</u> | | |
| Log lı | <u>n</u> | | | | | |
| 3. C | oolers are | present? | | Yes 🗸 | No 🗌 | NA 🗌 |
| 4. SI | hipping co | ontainer/cooler in good o | condition? | Yes 🗸 | No 🗌 | |
| C | ustody se | als intact on shipping co | ontainer/cooler? | Yes | No \square | Not Present 🗹 |
| Ν | lo. | Seal | Date: | Signed By: | | |
| 5. W | as an att | empt made to cool the s | amples? | Yes 🗹 | No 🗌 | NA 🗌 |
| 6. W | /ere all sa | mples received at a tem | nperature of >0° C to 6.0°C | Yes 🗸 | No 🗌 | NA 🗆 |
| 7. S | ample(s) | in proper container(s)? | | Yes 🗹 | No 🗌 | |
| 8. S | ufficient s | ample volume for indica | ted test(s)? | Yes 🗸 | No 🗌 | |
| 9. A | re sample | s (except VOA and ON | G) properly preserved? | Yes 🗸 | No 🗌 | |
| 10. W | as prese | rvative added to bottles? | ? | Yes | No 🗹 | NA \square |
| 11. ls | the head | space in the VOA vials | less than 1/4 inch or 6 mm? | Yes | No 🗌 | No VOA Vials 🗹 |
| 12. W | ere any s | ample containers receive | ved broken? | Yes | No 🗸 | |
| _ | | rwork match bottle label epancies on chain of cu | | Yes 🗹 | No 🗌 | |
| 14. A | re matrice | es correctly identified on | Chain of Custody? | Yes 🗹 | No 🗆 | |
| 15. ls | it clear w | hat analyses were requ | ested? | Yes 🗸 | No \square | |
| | | olding times able to be my customer for authoriza | | Yes 🗸 | No 🗌 | |
| • | | dling (if applicable | • | | | |
| | | notified of all discrepand | | Yes \square | No \square | NA 🔽 |
| | Perso | n Notified: | Date: | | | |
| | By WI | | Via: | eMail F | Phone Fax | In Person |
| | Regar | | via. | | | |
| | _ | Instructions: | | | | |
| 18 A | dditional r | | | | | |
| 10.7 | 5 1 | | | | | |

project address not included

Cooler Information

| Cooler No | Temp °C | Condition | Seal Intact | Seal No | Seal Date | Signed By |
|-----------|---------|-----------|-------------|---------|-----------|-----------|
| 1 | 2.4 | Good | Not Present | | | |



element JM D Chain of Custody MMO

| Laboratory Number: |
|--------------------|
| 2/0 |
| 3 |
| 2 |

| ⊠Yes □No | , | , | | | | <i>m</i> | Magnet 1 | 7 | | | | | | | | w |
|--------------------------------------|-----------------------|-------------|----------------------|--------|---------|----------|------------------|-----------------------|-------|--------------|-------------------------------|---|---------------|--------------------------------|-----------------------------------|------------|
| Received at lab on ice? | R | 2 | 21.2 | Ú | | 1 | the shall | Comme | D | 0 | 0251 | 5/11/2/ | 6 | | | 2 |
| End Date/Time: | 0601 | 17/ | 5 | () | C | 1)05 | 1 | | | 0 | (1/1030) | 5,11,2 | J | 1 luke | n | _ |
| Composite Sampler Start Date/Time:23 | 10 = | Time | Date/Time | | | | Received by | Rece | | | Date/Time / | Dat | | Relinquished by | | |
| × | × | | | | | | NONE | ס | 2 | W | Comp | | | nposite | S-901 Composite | S |
| | × | | | | | 4 | H2SO4 | G | _ | W | Comp | | | Composite | S-901 Cor | S |
| | | × | | | | 4 | H2SO4 | ס | _ | % | Comp | | | Composite | S-901 Cor | S |
| | | | × | | | ω | HNO3 | ס | _ | W | Comp | | | Composite | S-901 Cor | S |
| | | | | | | | | | | | | - | - , | | | |
| | | | | × | | 111 | NONE | G | _ | W | Grab | | -2 | ס | S-901 Grab | S |
| | | | | | × | 4 | H2SO4 | G | _ | W | Grab | | | ıb | S-901 Grab | S |
| | | | | | | × | NAOH | ס | _ | ww | Grab | 8:40 | 15-01-5 | | S-901 Grab | ഗ |
| TSS | 9HE 300 | NH3, | *Meta | **\$VC | Oil & (| CYA | HCI, F | Type P=Pla G=Gl | Quar | Matrix | Grab / Composite | Collection Information Oate Time Compo | Collect Date | | Sample ID/Description | S |
| | NOL : Flu | | ls | C list | | | | astic, | ntity | | lab.) | | | Other | □RECAP/RISC | |
| | uorio |)S, C | - | | | | H ₂ S | √=Vi | | by Pre- | must be pre- approved by | | | Special | NPDES | |
| | de | OD | | | | | SO ₄ | al | | e and | surcharge and | | ; | Distribution | POTW | |
| | sts | ted Tests | Requested | 71 | | | Pres. | Container | Con | n times a | (Rush turn times will incur a | | Turn Time | ions Apply: | Which Regulations Apply: □RCRA | □ ≤ |
| <u>a.</u> | Element / Hand / Mail | ent / Ha | Eleme | 6 | | | No No | | | | | | .com | hpadilla@eastchicago.com | E-mail Address: | |
| | edEx | UPS / FedEx | UF UF | 2 | | | □Yes | | | | | | | | Fax Number: | |
| | |)thod: | Shipping Method: | Ship | | thly | Bill Monthly | | Ext: | | | Ext. | N) 177 | 219-391-8466 | Phone Number: | |
| J | - | 4 | 1 | 77 | | | | | | | | | N 46312 | East Chicago IN 46312 | City, State Zip: | 0 |
| | | V | |) [| Level | | Required QC | | | | | | | | | |
| | , | ignature | Sampler's Signature | Sam | | | | | | | | | olis Blvd | 5201 Indianapolis | Address: | |
| | | | | | | umber: | Quote Number: | | | | | | | Henry Padilla | Contact Name: | 0 |
| | \preceq | S-901 | | | | | | | | | Same | | nitary Distri | East Chicago Sanitary District | Company Name: | |
| | er: | e/Numb | Project Name/Number: | Proje | | ber: | PO Number: | | | mation: | Billing Information: | <u>B</u> | • | Client Information: | | |
| | | | | | | | 4 | | | | (| | • | | | d |

All samples submitted to Element Materials Technology for analysis are accepted on a custodial basis only. Ownership of the material remains with the client submitting the samples.

Element Materials Technology reserves the right to return unused sample portions.

8800 North US 31 Columbus, IN 47201 USA P 812-375-0531 F 812-375-0731

328 Ley Road, Suite 100 Fort Wayne, IN 46825 USA P 260-471-7000 F 260-471-7777

909 Executive Dr. Warsaw, IN 46580 USA P 574-267-3305 F 574-269-6569

3371 Cleveland Road, Suite 100A South Bend, IN 46628-9780 USA P 574-277-0707

2417 W. Pinhook Rd Lafayette, LA 70508-3344 USA P 337-235-0483 F 337-233-6540